




# Brick Bonds




**Common Bond**  
Full Headers Every 6th Course




**Common Bond**  
Flemish Headers Every 6th Course




**Stack Bond**



**English Bond**  
English Corner  
Dutch Corner




**Flemish Bond**  
Dutch Corner  
English Corner




**Running Bond**  
1/2 Bond  
1/3 Bond

## Mortar Joints



**V-tooled**      **Concave**      **Flush**



**Beaded**      **Raked**      **Weathered**

## Masonry Bonding Quantity Correction Factors

TYPE OF BONDING	Correction Factor*
Common Bond, Full Headers every 5th Course	1/5
Common Bond, Full Headers every 6th Course	1/6
Common Bond, Full Headers every 7th Course	1/7
Flemish Bond, Alternate Stretcher and Header	1/3
Flemish Headers every 6th Course	1/18
English Bond, Full Headers every other Course	1/2

\*Add to face brick and deduct from backup.